

Spring Summer
SPECIALS



Great savings on
power systems and tool sets!

Prices valid until 31 December 2018

Spring-Summer Specials

Prices valid until 31 December 2018

CRIMPFOX DUO 10 SET

Cutting, stripping, and crimping set, packaged in a tool case. Universal tool set comprising of:

- Wirefox 10
- AI Twin Sorti Box BU
- Crimpfox Duo 10
- Standard Tool Kit Empty
- AI Sorti Box RD

- ✓ Ideal for TWIN ferrule
- ✓ Rugged and heavy-duty tool bags



Order Number: XPC1044971

CRIMPFOX-M SET

Crimping pliers set, consisting of:

- CRIMPFOX-M (pliers)
- Dies for insulated cable lugs 0.5 ... 2.5 mm² (1212074)
- Non-insulated conduit lugs 0.5 ... 6 mm² (1212079)
- Ferrules 0.25 ... 10 mm² (1212080) and 16/25 mm² (1212081)

- ✓ The variety of inserts makes it a space-saving universal tool for all applications
- ✓ One of the key features of the CRIMPFOX-M crimping pliers is the way the crimp inserts can be quickly replaced without the need for tools



Order Number: XPC1212093

WIREFOX-D 13

Stripping tool, for stripping installation lines of Ø 8 - 13 mm , e.g. NYM 3 x 1.5 mm² to 5 x 2.5 mm², single line stripping 0.2 mm² - 4 mm² , with longitudinal cut blade and sliding knife

- ✓ Large selection of precision stripping tools
- ✓ The right tool for every application



Order Number: XPC1212162

Spring-Summer Specials

Prices valid until 31 December 2018

TRIO POWER POWER SUPPLY

2G/1AC/24DC/10

Primary-switched TRIO POWER power supply with push-in connection for DIN rail mounting, input: single phase, output: 24 V DC/10 A

- ✓ Save time and costs, thanks to the Push-in connection and narrow design
- ✓ Increase system availability, thanks to dynamic boost with 150% of the nominal current for five seconds
- ✓ Maximum flexibility due to the wide temperature range from -25°C to +70°C and device startup at -40°C



Sale Price
\$140



Order Number: XPC2903149

QUINT DC UPS

24DC/ 24DC/10/3.4AH

Uninterruptible energy supply with IQ technology and integrated energy storage for DIN rail mounting.

Input 24 V DC, output: 24 V DC/10 A, energy storage: lead AGM 3.4 Ah, incl. mounted UTA 107/30 universal DIN rail adapter

- ✓ Easy handling thanks to automatic battery detection, tool-free battery replacement during operation, and communication via the IFS interface
- ✓ Reliable starting of difficult loads with the static POWER BOOST power reserve with up to 1.5 times the nominal current permanently
- ✓ Fast tripping of standard circuit breakers with SFB (selective fuse breaking) technology
- ✓ Device suitable for universal use thanks to comprehensive license package and extensive parameterization and diagnostics options



IQ Technology^{IQ}
Designed by PHOENIX CONTACT

SFB
TECHNOLOGY

Sale Price
\$250




Order Number: XPC2320267

NEW PRODUCTS 2018

Innovative products for your industrial systems

Connection-ready distribution blocks with Push-in connection

The new PTFIX distribution blocks are now available with a 4 mm² Push-in connection and with various terminal points and mounting types. They are connection-ready and can be configured individually. The 2.5 mm² terminal block range has been expanded by adding versions with just two terminal points.



Plugtrab SPD now has Push-In connection



The Plugtrab SEC 240V AC/DC model is a series surge protector designed to protect sensitive electronics in final sub circuits. Improvements include a higher 10kA I_{max} rating, I_{ssc} of 10kA, improved safety at end of life, and choice of Push-In or Screw connection. The Plugtrab SEC includes a Pluggable module that allows replacement without interrupting the load. Series connection to 26A, or shunt connection for higher loads. Plugtrab SEC has change over contact for health monitoring and is also available in 24V, 60V, and 120V AC/DC models.

DC UPS with IQ Technology for industrial networks



The first intelligent QUINT UPS for integration into established industrial networks (USB, PROFINET, EtherNet/IP™, EtherCAT®). The intelligent and communicative QUINT UPS system is the high-end solution in the field of uninterruptible power supplies for the DIN rail. The modular design (power supply, UPS, battery) provides flexibility, allowing it to be used in a wide range of applications.

DC UPS with integrated power supply and USB interface



Supply DC loads reliably and save space with the new uninterruptible TRIO power supplies. An input grid is no longer necessary for startup. Connected industrial PCs can be shutdown easily via the integrated USB interface.



Remtron
AUTOMATION
www.remtron.com.au

Melbourne
PO Box 3201
Mentone East Vic 3194
Unit 12/2 Sibthorpe St
Braeside Vic 3195
Ph: (03) 9587 1233
Fax: (03) 9587 1591

Gippsland
1/29 - 31 Eastern Rd
Traralgon Vic 3844
Ph: (03) 5176 0227
Fax: (03) 5176 0627

Albury
PO Box 3067
Albury NSW 2640
444 Wilson Street
Albury NSW 2640
Ph: (02) 6023 1819
Fax: (02) 6023 1820

Tasmania
6 Ferguson Drive
Quoiba
Devonport TAS 7310
Ph: (03) 6423 4875
Fax: (03) 6423 4874

Adelaide
22 Marlow Street
Keswick SA 5035
Ph: (08) 8351 2920
Fax: (08) 8297 2075